



# HAUTES PERFORMANCES

| Dimensions     |               | Tension | Fréquence | Débit libre |           | Pression maximum |             | Niveau sonore | Normes et directives | Image | Code     |
|----------------|---------------|---------|-----------|-------------|-----------|------------------|-------------|---------------|----------------------|-------|----------|
| 130 x 64,5 mm  | 5,12 x 2,54 " | 220VAC  | 50Hz      | 36l/s       | 76,32CFM  | 6,5mmH2O         | 0,26inchH2O | 45dBA         | CE RoHS              |       | 80CE     |
|                |               |         | 60Hz      | 44l/s       | 93,28CFM  | 9mmH2O           | 0,35inchH2O | 49dBA         | CE RoHS              |       |          |
| 180 x 180 mm   | 7,08 x 7,08 " | 220VAC  | 50Hz      | 126l/s      | 267,12CFM | 28mmH2O          | 1,1inchH2O  | 63dBA         | CE RoHS              |       | 86CD     |
|                |               |         | 60Hz      | 144l/s      | 305,28CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
|                |               |         |           | 148l/s      | 313,76CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
|                |               |         |           | 148l/s      | 313,76CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
| 180 x 87 mm    | 7,08 x 3,42 " | 380VAC  | 50Hz      | 126l/s      | 267,12CFM | 28mmH2O          | 1,1inchH2O  | 63dBA         | CE RoHS              |       | 85-86CB  |
|                |               |         | 60Hz      | 144l/s      | 305,28CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
|                |               |         |           | 148l/s      | 313,76CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
|                |               |         |           | 148l/s      | 313,76CFM | 38mmH2O          | 1,5inchH2O  | 66dBA         | CE RoHS              |       |          |
|                |               | 220VAC  | 50Hz      | 75l/s       | 159CFM    | 16mmH2O          | 0,63inchH2O | 57dBA         | CE RoHS              |       |          |
|                |               |         |           | 111l/s      | 235,32CFM | 16mmH2O          | 0,63inchH2O | 56dBA         | CE RoHS              |       |          |
|                |               |         | 60Hz      | 88l/s       | 186,56CFM | 21mmH2O          | 0,83inchH2O | 61dBA         | CE RoHS              |       |          |
|                |               |         |           | 127l/s      | 269,24CFM | 22mmH2O          | 0,87inchH2O | 60dBA         | CE RoHS              |       |          |
|                |               | 380VAC  | 50Hz      | 75l/s       | 159CFM    | 16mmH2O          | 0,63inchH2O | 57dBA         | CE RoHS              |       | 200D     |
|                |               |         |           | 111l/s      | 235,32CFM | 16mmH2O          | 0,63inchH2O | 56dBA         | CE RoHS              |       |          |
|                |               |         | 60Hz      | 88l/s       | 186,56CFM | 21mmH2O          | 0,83inchH2O | 61dBA         | CE RoHS              |       |          |
|                |               |         |           | 127l/s      | 269,24CFM | 22mmH2O          | 0,87inchH2O | 60dBA         | CE RoHS              |       |          |
| 200 x 70 mm    | 7,87 x 2,75 " | 28VDC   |           | 260l/s      | 551,2CFM  | 95,75mmH2O       | 3,77inchH2O | 74,8dBA       | CE RoHS              |       | 63DBV    |
|                |               |         |           | 270l/s      | 572,4CFM  | 98,71mmH2O       | 3,88inchH2O | 74,8dBA       | CE RoHS              |       |          |
| 239,5 x 151 mm | 9,43 x 5,94 " | 28VDC   |           | 273l/s      | 578,76CFM | 100,14mmH2O      | 3,94inchH2O | 75,5dBA       | CE RoHS              |       | 61GR-M   |
| 239,5 x 181 mm | 9,43 x 7,12 " | 230VAC  | 50Hz      | 235l/s      | 498,2CFM  | 50,99mmH2O       | 2,01inchH2O | 75dBA         | CE RoHS              |       | 62GR     |
|                |               |         | 60Hz      | 283l/s      | 599,96CFM | 72,4mmH2O        | 2,85inchH2O | 80dBA         | CE RoHS              |       |          |
|                |               | 400VAC  | 50Hz      | 235l/s      | 498,2CFM  | 50,99mmH2O       | 2,01inchH2O | 75dBA         | CE RoHS              |       |          |
|                |               |         | 60Hz      | 283l/s      | 599,96CFM | 72,4mmH2O        | 2,85inchH2O | 80dBA         | CE RoHS              |       |          |
| 239,5 x 181 mm | 9,43 x 7,12 " | 230VAC  | 50Hz      | 188l/s      | 398,56CFM | 54,04mmH2O       | 2,13inchH2O | 74dBA         | CE RoHS              |       | 61GS-P.F |
|                |               |         | 60Hz      | 224l/s      | 474,88CFM | 72,4mmH2O        | 2,85inchH2O | 79dBA         | CE RoHS              |       |          |
|                |               | 400VAC  | 50Hz      | 188l/s      | 398,56CFM | 54,04mmH2O       | 2,13inchH2O | 74dBA         | CE RoHS              |       |          |
|                |               |         | 60Hz      | 224l/s      | 474,88CFM | 72,4mmH2O        | 2,85inchH2O | 79dBA         | CE RoHS              |       |          |
| 239,5 x 85 mm  | 9,43 x 3,35 " | 230VAC  | 50Hz      | 96,5l/s     | 204,58CFM | 8,16mmH2O        | 0,32inchH2O | 57dBA         | CE RoHS              |       | 61GS-P.F |
|                |               |         |           | 240,3l/s    | 509,44CFM | 34,16mmH2O       | 1,34inchH2O | 71dBA         | CE RoHS              |       |          |
|                |               |         | 60Hz      | 116,5l/s    | 246,98CFM | 11,73mmH2O       | 0,46inchH2O | 59,5dBA       | CE RoHS              |       |          |
|                |               |         |           | 294l/s      | 623,28CFM | 46,91mmH2O       | 1,85inchH2O | 74dBA         | CE RoHS              |       |          |

|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
|---------------|----------------|--------|--------|--------|------------|------------|-------------|-------------|-------------|---------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|----------|
|               |                |        |        | 400VAC | 50Hz       | 96,5l/s    | 204,58CFM   | 8,16mmH2O   | 0,32inchH2O | 57dBA                                                                                 | CE RoHS |  | 61051-FL |
|               |                |        |        |        |            | 240,3l/s   | 509,44CFM   | 34,16mmH2O  | 1,34inchH2O | 71dBA                                                                                 | CE RoHS |                                                                                     |          |
|               |                |        |        |        | 60Hz       | 116,5l/s   | 246,98CFM   | 11,73mmH2O  | 0,46inchH2O | 59,5dBA                                                                               | CE RoHS |                                                                                     |          |
|               |                |        |        |        |            | 294l/s     | 623,28CFM   | 46,91mmH2O  | 1,85inchH2O | 74dBA                                                                                 | CE RoHS |                                                                                     |          |
| 239,5 x 85 mm | 9,43 x 3,35 "  | 230VAC | 50Hz   | 190l/s | 402,8CFM   | 31,1mmH2O  | 1,22inchH2O | 67dBA       | CE RoHS     |    | 62GP    |                                                                                     |          |
|               |                |        | 60Hz   | 230l/s | 487,6CFM   | 42,83mmH2O | 1,69inchH2O | 71,5dBA     | CE RoHS     |                                                                                       |         |                                                                                     |          |
| 290 x 76,5 mm | 11,41 x 3,01 " | 400VAC | 50Hz   | 190l/s | 402,8CFM   | 31,1mmH2O  | 1,22inchH2O | 67dBA       | CE RoHS     |    |         |                                                                                     |          |
|               |                |        | 60Hz   | 230l/s | 487,6CFM   | 42,83mmH2O | 1,69inchH2O | 71,5dBA     | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                | 110VAC | 50Hz   | 220l/s | 466,4CFM   | 2,7mmH2O   | 0,11inchH2O | 55,5dBA     | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 275l/s | 583CFM     | 6,4mmH2O   | 0,25inchH2O | 54dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                | 220VAC | 50Hz   | 220l/s | 466,4CFM   | 2,7mmH2O   | 0,11inchH2O | 55,5dBA     | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 275l/s | 583CFM     | 6,4mmH2O   | 0,25inchH2O | 54dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 50Hz   | 290l/s | 614,8CFM   | 7,4mmH2O   | 0,29inchH2O | 55dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 320l/s | 678,4CFM   | 5,8mmH2O   | 0,23inchH2O | 58dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                | 380VAC | 50Hz   | 290l/s | 614,8CFM   | 7,4mmH2O   | 0,29inchH2O | 55dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 320l/s | 678,4CFM   | 5,8mmH2O   | 0,23inchH2O | 58dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 330l/s | 699,6CFM   | 8,9mmH2O   | 0,35inchH2O | 58dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
| 350 x 158 mm  | 13,77 x 6,22 " | 220VAC | 50Hz   | 410l/s | 869,2CFM   | 15mmH2O    | 0,59inchH2O | 61dBA       | CE RoHS     |    | 60CF-H  |                                                                                     |          |
|               |                |        |        | 775l/s | 1643CFM    | 49mmH2O    | 1,93inchH2O | 79dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 780l/s | 1653,6CFM  | 51mmH2O    | 2,01inchH2O | 79dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 480l/s | 1017,6CFM  | 20mmH2O    | 0,79inchH2O | 65dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                | 380VAC | 50Hz   | 410l/s | 869,2CFM   | 15mmH2O    | 0,59inchH2O | 61dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 775l/s | 1643CFM    | 49mmH2O    | 1,93inchH2O | 79dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 780l/s | 1653,6CFM  | 51mmH2O    | 2,01inchH2O | 79dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 480l/s | 1017,6CFM  | 20mmH2O    | 0,79inchH2O | 65dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
| 350 x 158 mm  | 13,77 x 6,22 " | 220VAC | 50Hz   | 485l/s | 1028,2CFM  | 60mmH2O    | 2,36inchH2O | 73dBA       | CE RoHS     |  | 97AC-H  |                                                                                     |          |
|               |                |        |        | 490l/s | 1038,8CFM  | 60mmH2O    | 2,36inchH2O | 73dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 560l/s | 1187,2CFM  | 71mmH2O    | 2,79inchH2O | 76dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        | 570l/s | 1208,4CFM  | 73mmH2O    | 2,87inchH2O | 76dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                | 380VAC | 50Hz   | 490l/s | 1038,8CFM  | 60mmH2O    | 2,36inchH2O | 73dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 570l/s | 1208,4CFM  | 73mmH2O    | 2,87inchH2O | 76dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
| 350 x 177 mm  | 13,77 x 6,97 " | 127VAC | 50Hz   | 850l/s | 1802CFM    | 60mmH2O    | 2,36inchH2O | 82dBA       | CE RoHS     |  | 60A     |                                                                                     |          |
|               |                |        | 60Hz   | 975l/s | 2067CFM    | 78mmH2O    | 3,07inchH2O | 86dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 220VAC | 50Hz   | 850l/s     | 1802CFM    | 60mmH2O     | 2,36inchH2O | 82dBA       |                                                                                       |         | CE RoHS                                                                             |          |
|               |                |        |        | 60Hz   | 975l/s     | 2067CFM    | 78mmH2O     | 3,07inchH2O | 86dBA       |                                                                                       |         | CE RoHS                                                                             |          |
|               |                | 380VAC | 50Hz   | 850l/s | 1802CFM    | 60mmH2O    | 2,36inchH2O | 82dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 60Hz   | 975l/s | 2067CFM    | 78mmH2O    | 3,07inchH2O | 86dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |
| 350 x 254 mm  | 13,77 x 10 "   | 220VAC | 50Hz   | 514l/s | 1089,68CFM | 123mmH2O   | 4,84inchH2O | 81dBA       | CE RoHS     |  | 97CJ    |                                                                                     |          |
|               |                |        | 60Hz   | 600l/s | 1272CFM    | 144mmH2O   | 5,67inchH2O | 84dBA       | CE RoHS     |                                                                                       |         |                                                                                     |          |
|               |                |        | 380VAC | 50Hz   | 514l/s     | 1089,68CFM | 123mmH2O    | 4,84inchH2O | 81dBA       |                                                                                       |         | CE RoHS                                                                             |          |
|               |                |        |        |        |            |            |             |             |             |                                                                                       |         |                                                                                     |          |

|              |                 |        |      |        |            |            |             |         |         |                                                                                     |       |
|--------------|-----------------|--------|------|--------|------------|------------|-------------|---------|---------|-------------------------------------------------------------------------------------|-------|
|              |                 |        | 60Hz | 600l/s | 1272CFM    | 144mmH2O   | 5,67inchH2O | 84dBA   | CE RoHS |  |       |
| 350 x 263 mm | 13,77 x 10,35 " | 26VDC  |      | 514l/s | 1089,68CFM | 71,38mmH2O | 2,81inchH2O | 80,5dBA | -       |                                                                                     | 97DBW |
| 350 x 274 mm | 13,77 x 10,78 " | 220VAC | 50Hz | 900l/s | 1908CFM    | 102mmH2O   | 4,01inchH2O | 87dBA   | CE RoHS |                                                                                     |       |
|              |                 | 380VAC | 50Hz | 900l/s | 1908CFM    | 102mmH2O   | 4,01inchH2O | 87dBA   | CE RoHS |                                                                                     | 60CV  |